

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	12909	clutch and differential and limit\$3 and control	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B
2	BRS	L2	9209	clutch and differential and limit\$3 and control and transmission	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B
3	BRS	L3	3723	(clutch near3 between) and differential and limit\$3 and control and transmission	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B
4	BRS	L4	884	(clutch near3 between) and differential and limit\$3 and control and transmission and (rotational near3 shaft)	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	38	(clutch near3 between) and differential and limit\$3 and control and transmission and (rotational near3 shaft) and (feedback near3 clutch)	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B
6	BRS	L6	6	(clutch near3 between) and differential and limit\$3 and control and transmission and (rotational near3 shaft) and (feedback near3 clutch) and (feed adj forward)	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B
7	BRS	L7	1	(clutch near3 between) and differential and limit\$3 and control and transmission and (rotational near3 shaft) and (feedback near3 clutch) and (feed adj forward) and (tire near7 (size or diameter or radius))	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B
8	BRS	L8	12	(clutch near3 between) and differential and limit\$3 and control and transmission and (rotational near3 shaft) and feedback and (feed adj forward)	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B

	Type	L #	Hits	Search Text	DBs
9	BRS	L9	1	(clutch near3 between) and differential and limit\$3 and control and transmission and (rotational near3 shaft) and feedback and (feed adj forward) and (tire near7 (size or diameter or radius))	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B
10	BRS	L10	1	(clutch near3 between) and differential and limit\$3 and control and transmission and (rotational near3 shaft) and feedback and (feed adj forward) and (tire near7 (size or diameter))	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B
11	BRS	L11	0	(clutch near3 between) and differential and limit\$3 and control and transmission and (rotational near3 shaft) and feedback and (feed adj forward) and (tire near7 radius)	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B
12	BRS	L12	1	(clutch near3 between) and differential and limit\$3 and control and transmission and (rotational near3 shaft) and feedback and (feed adj forward) and (tire near7 diameter)	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	12	(clutch near3 between) and differential and limit\$3 and control and transmission and (rotational near3 shaft) and feedback and (feed adj forward) and ((tire or wheel) size)	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B
14	BRS	L14	161	("3627072" "3894446" "3915023" "3923113" "4343205" "4416360" "4502579" "4601359" "4644823" "4648496" "4665773" "4670843" "4678069" "4718308" "4729103" "4732246" "4762213" "4854433" "4856380" "4940122" "4958538" "4962678" "4964317" "4972726" "4982822" "5022287" "5042323" "5050717" "5060770" "5275267" "5314050" "5378211" "5403249" "5403250" "5439428" "5484354" "5499954" "5522269" "5569117" "5752208" "5796014" "5811695").PN. OR ("2003/0150286" "2003/0203790" "2004/0038775" "2004/0059494" "4989686" "5074166" "5170868" "5630773" "6386052").URPN.	US-PGPUB; USPAT; USOCR
15	BRS	L15	522473	(tire or wheel) and ((size or radius) or diameter)	US-PGPUB; USPAT; USOCR
16	BRS	L16	77	14 and 15	US-PGPUB; USPAT; USOCR
17	BRS	L17	277842	((tire or wheel) same ((size or radius) or diameter))	US-PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
18	BRS	L18	34176	((tire or wheel) same ((size or radius) or diameter)) and torque	US-PGPUB; USPAT; USOCR
19	BRS	L19	55	((tire or wheel) same ((size or radius) or diameter)) and torque and 14	US-PGPUB; USPAT; USOCR
20	BRS	L20	12	(clutch near3 between) and differential and limit\$3 and control and transmission and (rotational near3 shaft) and feedback and (feed adj forward) and ((tire or wheel) or size)	US-PGPUB; USPAT; EPO; JPO; DERWE NT; IBM_TD B